

WHAT IS CLAIMED IS:

Sub  
A1  
1. A communication device for communicating in  
video and audio with another terminal device,  
comprising:

5 mode setting means for setting a first operation  
mode for unassisted operation or a second operation  
mode for operation under the control of an external  
data processor;

an external connection interface for connecting  
10 with said external data processor;

operation means;

communication means for exchanging information  
with said other terminal device;

video input means;

15 video output means;

audio input/output means; and

control means that operates in accordance with an  
operation through said operation means and outputs  
video data to be displayed to said video output means  
20 in said first operation modes, and operates in  
accordance with control commands received from said  
external data processor through said external  
connection interface and transfers video data to be  
displayed to said external data processor in said  
25 second operation mode.

2. A device according to Claim 1, wherein said

mode setting means automatically sets said first operation mode after power is supplied and sets said second operation mode in accordance with a control instruction from said external data processor.

5

3. A device according to Claim 1, wherein said mode setting means sets said first operation mode in response to the connection state with said external data processor changing to a substantially disconnected state.

10

4. A device according to Claim 1, wherein said control means operates also in accordance with a control signal from said external data processor in said first operation mode.

15

5. A device according to Claim 1, further comprising:

a recording medium; and

20

recording management means for recording data to be recorded in said external data processor when said recording medium has its space area less than a predetermined amount, and recording, on said recording medium, management information indicating that said data is recorded in said external data processor.

25

6. A device according to Claim 5, wherein said

recording management means checks on the basis of said management information as to whether or not data to be reproduced exists in said recording medium, and reproduces said data when it exists in said recording medium and requests said external data processor to transfer said data when it exists in said external data processor.

Sub  
A1

10     A control method of a communication device for communicating in video and audio with another terminal device, said communication device having a first operation mode in which said communication device operates on the basis of an operation through its own operation means and a second operation mode in which  
15     said communication device operates under the control of an external data processor, said method comprising:

an operation mode setting step;

20     a first operation step for operating said communication device in accordance with an operation through said operation means when said first operation mode is set in said operation mode setting step;

a display output step for outputting video data to be displayed to a video output device provided in said communication device;

25     a second operation step for operating said communication device in accordance with control commands from said external data processor when said

Sub  
A1  
second operation mode is set in said operation mode  
setting step; and

a transfer step for transferring video data to be  
displayed to said external data processor.

5

8. A method according to Claim 7, wherein said  
first operation mode is automatically set after power  
is supplied and said second operation mode is set in  
accordance with a control instruction from said  
10 external data processor in said operation mode setting  
step.

9. A method according to Claim 7, wherein said  
first operation mode is set in response to the  
15 connection state with said external data processor  
changing to a substantially disconnected state in said  
operation mode setting step.

10. A method according to Claim 7, wherein said  
20 communication device operates also in accordance with a  
control signal from said external data processor in  
said first operation mode.

11. A method according to Claim 7, further  
25 comprising a recording management step for recording  
data to be recorded in said external data processor  
when a recording medium has its space area less than a

predetermined amount, and recording, on said recording medium, management information indicating that said data is recorded in said external data processor.

5           12. A method according to Claim 7, further comprising a reproducing step for checking on the basis of said management information as to whether or not data to be reproduced exists in said recording medium, and reproducing said data when it exists in said  
10 recording medium and requesting said external data processor to transfer said data when it exists in said external data processor.

Sub  
A1  
15           13. A communication device for communicating in video and audio with another terminal device, comprising:

mode setting means for setting a first operation mode for unassisted operation or a second operation mode for operation under the control of an external  
20 data processor;

external connection interface means for connecting with said external data processor;

operation means;

communication means for exchanging information  
25 with said other terminal device;

video input means;

video output means;

Sub  
A'

audio input/output means; and  
control means provided with a processor for  
controlling each of said means,

wherein, in said first mode, said control means  
5 makes a control such that a control menu and video data  
to be displayed are output to said video output means  
and said control means executes a predetermined  
operation in accordance with pieces of operation  
information from said operation means and pieces of  
10 operation information from said external data processor  
and,

in said second mode, said control means transfers  
video data to be displayed to said external data  
processor through said external connection interface  
15 means to display said video data on a display device  
provided for said external data processor and receives  
control information based on an operation to operation  
means provided for said external data processor through  
said external connection interface means and controls  
20 it to operate in accordance with said control means.

TELETYPE UNIT